



CERTIFICATE

TUV SUD BABT Unlimited

certifies that

SIJ ACRONI d.o.o.
Cesta Borisa Kidriča 44
SI – 4270 Jesenice

has implemented, operates and maintains a

**Quality Assurance System in accordance with the
Pressure Equipment (Safety) Regulation 2016/1105, Schedule 2, Part. 4,
Para. 31 (8) as well as EN 764-5, Para. 4.2**

as a material manufacturer for the scope of

plates, coils, sheets cut from coils and slabs
of ferritic, austenitic and austenitic-ferritic steels.

The scope of the approval is described in the annex to this certificate.
Further details are mentioned in report no. C-TSS-IS-PER-1144-25.


The manufacturer is therefore authorized to issue certificates of specific product control within the scope of the assessed quality system and in accordance with the Pressure Equipment (Safety) Regulation 2016/1105. Possible additional requirements - specific to applied technical specifications to meet PER 2016/1105, Schedule 2 - are not affected.

This certificate is valid through 2028-06-30.

In order to adhere the validity an annual surveillance audit is required.

Certificate No.: PER-0168-QS-M 3295391/2023/MUC-02
Fareham, 2025-06-12

TUV SUD BABT Unlimited


(M. Strobel)

Certification Body
Materials and Permanent Joining

TUV SUD BABT Unlimited
Octagon House, Concorde Way Segensworth North,
Fareham, Hampshire, PO 15 5RL, United Kingdom

TUV®



EQ3295391

6243

12.06.2025

CERTIFICAT

CERTIFICADO

СЕРТИФИКАТ

認證證書

CERTIFICATE

ZERTIFIKAT

**Scope of the approval – Manufacturer of material in accordance with
PER 2016/1105, Schedule 2, Part 4, Para. 31 (8)**

Annex to certificate no.
PER-0168-QS-M 3295391/2023/MUC-02 von / dated 2025-06-12

Name: SIJ ACRONI d.o.o.	Country: SI	Date: rev. 1 2026-02-03	Page 1 of 3	Competent Body of TUV SUD BABT Unlimited
Manufacturer: Street: Cesta Borisa Kidriča 44				
City: 4270 Jesenice				

No.	Material Designation Material Grade	Material Specification		Delivery Condition Code	Description Product	Dimensions				Weight		Requirements Technical Rules		Report no. C-TSS-IS-PER-1144-25 dated 2025-05-27
		Spec.	No.			Thickness [mm]		Diameter [mm]		1=t	value	Spec.	No.	
						from	to	from	to	↓				
1	2	3a	3b	4	5	6a	6b	7a	7b	8a	8b	9a	9b	10
01*)	S235JR (1.0038), S235J2 (1.0117), S275JR (1.0044), S275J2 (1.0045), S355J2 (1.0577), S355K2 (1.0596)	EN	10025-2	N/CR	Blech / plate Band, Blech aus Band / coil, coil sheets cut from coil	6 2,5	70 6	- -	- -	- -	- -			*) To fulfil essential safety requirements of PER Schedule 2, for each material acc. to non designated standards a Particular Material Appraisal (PMA) is mandatory. For the use of materials acc. to column 2 till 4 the regulations and limits of the respective standards have to be observed. The specific material operating conditions have to be approved by the pressure equipment manufacturer or respectively by the Approved Body in charge.
02	P235GH (1.0345), P265GH (1.0425)	EN	10028-2	N	Blech / plate	6	100	-	-	-	-			
03	P295GH (1.0481), 16Mo3 (1.5415), 13CrMo4-5 (1.7335)	EN	10028-2	N, QT	Blech / plate	6	40	-	-	-	-			
04	P265GH (1.0425)	EN	10028-2	N	Blech / plate Band, Blech aus Band / coil, coil sheets cut from coil	2,5	6	-	-	-	-			
05*)	P235S (1.0112), P265S (1.0130)	EN	10207	N	Blech / plate	6	40	-	-	-	-			
06	X5CrNi18-10 (1.4301), X2CrNi19-11 (1.4306), X2CrNi18-9 (1.4307), X1CrNi25-21 (1.4335), X1CrNiSi18-15-4 (1.4361), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404), X2CrNiMo17-12-3 (1.4432), X2CrNiMo18-14-3 (1.4435), X3CrNiMo17-13-3 (1.4436), X2CrNiMo18-15-4 (1.4438), X1NiCrMoCu25-20-5 (1.4539), X6CrNiTi18-10 (1.4541), X6CrNiNb18-10 (1.4550), X1NiCrMoCu31-27-4 (1.4563), X6CrNiMoTi17-12-2 (1.4580), X9CrMnNiCu17-8-5-2 (1.4618)	EN	10028-7	AT	Band, Blech aus Band / coil, coil sheets cut from coil	0,3	3	-	-	-	-			

Explanation: AT = solution annealed NT = normalized and tempered N = normalized S = stress relieved TM = thermo-mech. treated U = not annealed
 QT = quenched and tempered CR = temperature controlled hot formed (controlled rolled) A = annealed AR = as rolled
 a = material designation in column 10 b = condition in column 10 c = object in column 10
 d = dimensions acc. to technical rules e = weight acc. to technical rules f = technical rules reference column 10

**Scope of the approval – Manufacturer of material in accordance with
PER 2016/1105, Schedule 2, Part 4, Para. 31 (8)**

Annex to certificate no.
PER-0168-QS-M 3295391/2023/MUC-02 von / dated 2025-06-12

Name: SIJ ACRONI d.o.o.	Country: SI	Date: rev. 1 2026-02-03	Page: 2 of 3	Competent Body of TUV SUD BABT Unlimited
Manufacturer: Street: Cesta Borisa Kidriča 44				
City: 4270 Jesenice				

No.	Material Designation Material Grade	Material Specification		Delivery Condition Code	Description Product	Dimensions				Weight		Requirements Technical Rules		Report no. C-TSS-IS-PER-1144-25 dated 2025-05-27
		Spec.	No.			Thickness [mm]		Diameter [mm]		1=t	value	Spec.	No.	
						from	to	from	to	↓				
1	2	3a	3b	4	5	6a	6b	7a	7b	8a	8b	9a	9b	10
07	X5CrNi18-10 (1.4301), X2CrNi19-11 (1.4306), X2CrNi18-9 (1.4307), X1CrNi25-21 (1.4335), X1CrNiSi18-15-4 (1.4361), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404), X2CrNiMo17-12-3 (1.4432), X2CrNiMo18-14-3 (1.4435), X3CrNiMo17-13-3 (1.4436), X2CrNiMo18-15-4 (1.4438), X6CrNiTi18-10 (1.4541), X6CrNiNb18-10 (1.4550), X6CrNiMoTi17-12-2 (1.4580)	EN	10028-7	AT	Blech / plate Band, Blech aus Band / coil, coil sheets cut from coil	6 2,5	130 6	-	-	-	-			*) To fulfil essential safety requirements of PER Schedule 2, for each material acc. to non designated standards a Particular Material Appraisal (PMA) is mandatory. For the use of materials acc. to column 2 till 4 the regulations and limits of the respective standards have to be observed. The specific material operating conditions have to be approved by the pressure equipment manufacturer or respectively by the Approved Body in charge.
08	X2CrNiMoN22-5-3 (1.4462)	EN TÜVV	10028-7 418	AT	Blech / plate	12	100	-	-	-	-			
09	X2CrNiMoN25-7-4 (1.4410)	EN	10028-7	AT	Blech / plate	6	40	-	-	-	-			
10*)	S235JR (1.0038), S235J2 (1.0117), S275JR (1.0044), S275J2 (1.0045), S355J2 (1.0577), S355K2 (1.0596)	EN EN	10025-2 10025	U	Bramme / slab	160	250	800	1600	-	-			
11	P235GH (1.0345), P265GH (1.0425) P295GH (1.0481), 16Mo3 (1.5415), 13CrMo4-5 (1.7335)	EN	10028-2	U	Bramme / slab	160	250	800	1600	-	-			
12	P235S (1.0112), P265S (1.0130)	EN	10207	U	Bramme / slab	160	250	800	1600	-	-			
13	Austenitische Stähle ohne N-legierte / austenitic steels without N-alloyed	EN	10028-7	U	Bramme / slab	160	250	800	1600	-	-			

Explanation: AT = solution annealed NT = normalized and tempered N = normalized S = stress relieved TM = thermo-mech. treated U = not annealed
 QT = quenched and tempered CR = temperature controlled hot formed (controlled rolled) A = annealed AR = as rolled
 a = material designation in column 10 b = condition in column 10 c = object in column 10
 d = dimensions acc. to technical rules e = weight acc. to technical rules f = technical rules reference column 10

