



Industrie Service

Certificate of conformity of the factory production control

0036 - CPR - M 05-1.2006.001

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of March 09th, 2011 (Construction Products Regulation - CPR), this certificate applies to the construction product

Hot rolled products of structural steels

produced by

SIJ ACRONI d.o.o.
Cesta Borisa Kidriča 44
SI-4270 Jesenice

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in annex ZA of the harmonised standard

EN 10025-1:2004

under system 2+ are applied and

the factory production control fulfils all the prescribed requirements set out above.

This certificate remains valid as long as the conditions laid down in the harmonised technical specification in reference or the manufacturing conditions in the factory or the Factory Production Control Plan itself are not modified significantly. Further information about the product parameters and description of the products are included in the scope of approval, annex 1 to this certificate.

In order to adhere the validity an annual surveillance audit is required.

First issue: 19.10.2006
Valid until: 05.06.2025

Munich, August 2nd, 2022

Notified Body, No. 0036



(M. Strobel)
 (Head of the Certification Body)



EQ3033859



Industrie Service

**Geltungsbereich der Überprüfung als Hersteller von Produkten nach BPV 305/2011
Scope of Approval - Manufacturer of Base Materials used in accordance with CPR 305/2011**

**Anlage 1 zum Zertifikat Nr. / Annex 1 to Certificate No.
0036 - CPR – 05-1.2006.001 von/dated 2022-08-02**

Hersteller / Manufacturer:		Name: Straße/Street: Ort/City:	SIJ ACRONI d.o.o. Cesta Borisa Kidriča 44 SI-4270 Jesenice		Werk / plant:	Nationalität/ Country: SI	Datum/ Date: 2022-08-02	Blatt-Nr./ Page No.: 1 v. / of 1	Zertifizierungsstelle für metallische Bauprodukte/ Certification Body for metallic construction products Notifizierte Stelle, Nr. / Notified Body, No. 0036			
Nr. / No.	Werkstoffbezeichnung Werkstoff-Nr. / Material Designation Material Grade	Werkstoff- Spezifikation / Material specification		Liefer- zustand / Delivery condition Kürzel / Code	Prüfgegenstand Erzeugnisform / Description product form	Abmessungen / Dimensions				Gewicht / Weight		Bericht Nr. / report no. C-TSS-IS-1144-22 vom / dated 2022-05-15 Bemerkungen / Remarks
		Art / Spec.	Nr. / No.			von / from	bis / to	von / from	bis / to	1 = t 2 = kg ↓	Wert value	
1	2	3a	3b	4	5	6a	6b	7a	7b	8a	8b	9
01	S235JR, S235J0, S235J2, S275JR, S275J0, S275J2	EN	10025-2	+AR +N	Blech, Band / plate, strip	2,0	130,0					Band mit Dicken 2,0 – 6,0 mm / strip of thickness 3,0 – 6,0 mm
02	S355JR, S355J0, S355J2, S355K2, S355J2C	EN	10025-2	+AR +N	Blech, Band / plate, strip	2,0	130,0					Band mit Dicken 2,0 – 6,0 mm / strip of thickness 3,0 – 6,0 mm
03	S450J0	EN	10025-2	+AR +N	Langerzeugnis / long rolled product	2,0	130,0					
04	S460Q, S460QL, S460QL1 S500Q, S500QL, S500QL1 S550Q, S550QL, S550QL1 S620Q, S620QL, S620QL1 S690Q, S690QL, S690QL1 S890Q, S890QL, S890QL1	EN	10025-6	QT	Blech / plate	3,0	100,0					
05	S960Q, S960QL	EN	10025-6	QT	Blech / plate	3,0	50,0					
06	S235J0W, S235J2W, S355J0W, S355J2W	EN	10025-5	+N	Blech / plate	8,0	40,0					
<p>Explanation: AT = Lösungsgeglüht / solution annealed NT = Normalgeglüht und angelassen / normalized and tempererd N = Normalgeglüht / normalized S = Spannungsarmgeglüht / stress relieved TM = Thermomech. behandelt / thermo-mech. treated U = ungeglüht / not annealed QT = vergütet / quenched and tempered CR = Temperaturgeregelt warmumgeformt / temperature controlled hot formed (controlled rolled) A = weichgeglüht / annealed AR = wie gewalzt / as rolled a = Werkstoffbezeichnung in Spalte 9 / material designation in column 9 b = Lieferzustand in Spalte 9 / delivery condition in column 9 c = Prüfgegenstand in Spalte 9 / object in column 9 d = Abmessungen in den Techn. Regeln / dimensions acc. to technical rules e = Gewicht in den Techn. Regeln / weight acc. to technical rules f = Nr. der Techn. Regeln in Spalte 9 / technical rules reference column 9</p>												